References:

[01] Ankhiwala M. D. (1990), Studies on Pyrazolines Part-II. Preparation and Antimicrobial Activity of 1H-3-(2-Hydroxy-3-bromo-4-n-butoxy-5-nitro-phen-1-yl)-5-substituted-phenyl-2-pyrazolines and related Compounds, *I. Journal Chem. Soc.*,**67**,514-516.

[02] Bagherwal.A., Baldi.A., Nagar R., Ptidar D. (2011), Synthesis and Antimicrobial studies of Azetidinone derivatives from Napthylamine Moiety, *Int. J. ChemTech. Res*., 274-279.

[03] Bhat I.K., Chaithanya S.K., Satyanarayana P.D., K.Balkrishna (2007), the synthesis and antimicrobial study of some Azetidinone derivatives with the para-anisidine moiety, *j.serb.chem.soc*. 437-442.

[04] Bhat M.A., Imran M, Khan S.A. and Siddiqui N (2005), Biological activities of sulfonamides. *J Pharm Sci*. **67**,151-159.

[05] Das N.B., Mittra A.S., (1978), Fungicides derived from 2-pyrazolin-5-ones. *Indian J Chem.***16**, 638–40.

[06] Fahmy A.M., Hassa K.M., Khalaf A.A., Ahmed R.A., (1987), Synthesis of some new beta-lactams, 4-thiazolidinones and Pyrazolines. *Indian J Chem.* **26**, 884–7.

[07] Husain M.I., Shukla S., (1986), Synthesis and Biological activity of 4-(3-Aryl-4-oxo-2-thioxo thiazolidin-5-ylimino)-3-methyl-1-(N, N-disubstituted amino-methyl) pyrazolin-5-ones. *Indian J Chem.* **25**, 983–6.

[08] Karthikeyan M.S., Dasappa J. Prasad, Boja P. Subrahmanya B.K., Bantwal Shivaram Holla (2006), synthesis and biological activity of Schiff and Mannich bases bearing 2, 4-dichloro-5-flourophenyl moiety. *Bioorg and Med Chem*. **14**, 7482-7489.

[09] Lester A., Itschep M, Foye (2002), Principle of Medicinal Chemistry; **5**,833.

[10] Li Y, Yang Z.S., Zhang H, Cao B.J. and Wang F.D. (2003), Artemisinin Derivatives Bearing Mannich Base Group: Synthesis and Antimalarial Activity. *Bio org and Med Chem*. **11**, 4363-4368.

[11] Mathew B., Mathew G.E., Mathew N., Vijay Baskaran.M. (2010), Synthesis, Characterization of some 2-azetidinone derivatives from 2-aminopyridine and evaluation of their antimicrobial activity, *Der Pharma Chemica*, 238-242.

[12] Mishra.R., Nimavat.K., Vyas.K. (2011), Synthesis, characterization and biological studies of novel azetidinones, *Der Chemica Sinica*, 147-153.

[13] Mittra A.S., Rao S., (1977), Synthesis and Fungicidal activity of some 2, 4-disubstituted thiazoles. *Indian J Chem.* **15,** 1062–3.

[14] M.M.J.Vijaykumar, R.Voganada., Snehlatha., Shameer.H., Jayachandran.E., Sreenivasa.G.M. (2009), Synthesis and Characterization of Novel N-Substituted-3-chloro-2-azetidinones as potential anticonvulsant agents, *J Biomed Sci and Res*., 1-10.

[15] Nimavat Kiran S., Popat K. H., and Joshi H. S.(2003), Synthesis Anticancer, Antitubercular and Antimicrobial activity of 1-Substituted-3-aryl-5-(3-bromophenyl)-Pyrazolines, *Indian Journal of Heterocyclic Chemistry*,**12**,225-228.

[16] Nugent A.R., Murphy M, Schlachter T.S., Dunn C.J., Smith R.J., Staite N.D., (1993), Pyrazoline Bisphosphonate esters as novel anti-inflammatory and antiarthritic agents. *J Med Chem.* **36,** 134–8.

[17] Pandey S.N., Lakshmi V.S and Pandey A (2003), Biological activity of Mannich bases. *Indian J Pharm Sci.* **65**, 213-222.

[18] Parmar K.A., Solanki D.J., Patel R.M. (2009), synthesis, characterization and biological evaluation of 3-chloro-1-[3,6-diphenyl]-[1,24] triazol [3,4-b] [1,3,4] thiadiazole]-4-substituted-aryl-azetidin-2-ones, *Res. J. chem.. Environ*. **72.**

[19] Parmar.K.A., Modi V., Prajapati S., Patel R. (2011), a facile and expeditious approach for the synthesis of 2-azetidinone derivatives with microbial activity, *Asian. J.BioChem. Pharma. Res.*, 612.

[20] Patel K.H., Mehta A.G. (2006), Synthesis and Antifungal activity of Azetidinone and Thiazolidinones Derivatives of 2-amino-6-(2-napthalenyl) thaizolo [3, 2-d] thaidiazole. *e-journal of chemistry*, 267-273.

[21] Patel P.S., Shah R. A., Trivedi D. K. & Vyas P. J. (2009), synthesis and characterization of 1-{4-[2-methyl-4-(4-methoxybenzylidene)-5-oxo-imidazol-1-yl] phenyl}-2-(substituted phenyl)-3-chloro-4-oxoazetidin and study of their antimicrobial activities, *Asian Journal of Chemical and Environment Research, **2*****(3-4),*** 25-28

[22] Patel P.S., Shah R. A., Trivedi D. K. & Vyas P.J. (2010), Synthesis, Characterization and Antimicrobial Activities of 1-acetyl-5-(substituted phenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)] phenyl}-4, 5-dihydropyrazol, *Der Pherma Chemica,* **2(1),** 168-172.

[23] Patel P.S., Shah R.A., Trivedi D. K. & Vyas P.J. (2010), Synthesis, Spectral and Microbial Studies of Some Novel benzoyl Derivatives of 5-(substituted phenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)] phenyl}-4, 5-dihydropyrazol, *Ultra Chemistry,* **6(1)**, 47-52.

[24] Patel P.S., Shah R.A., Trivedi D.K. & Vyas P.J. (2009), synthesis of 5-(substitutedphenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)]phenyl}-4,5-dihydropyrazol and study of the antimicrobial activities**,** *Asian Journal of Chemical and Environment Research,* **2(1-2)**, 6-9.

[25] Patel P.S., Shah R.A., Trivedi D.K. & Vyas P.J. (2009) synthesis of 5-(substitutedphenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)]phenyl}-4,5-dihydropyrazol and study of the antimicrobial activities**,** *Asian Journal of Chemical and Environment Research,* **2(1-2)**, 6-9.

[26] Rajasekaran.A., Periasamy.M., Venktesan.S. (2010), synthesis, characterization and biological activity of some novel azetidinones, *J. Dev. Bio. And Tissue Engi*. 5-13.

[27] Rang H.P., Dale M.M., Ritter J.M. and Flower R.J. (2007), Pharmacology; **6**,651-654.

[28] Rangari V, Gupta V.N., Atal C.K., (1990), Synthesis, anti-inflammatory and anti-arthritic activity of newer beta-boswellic acid derivatives. *Indian J Pharm Sci.* **52,** 158–60.

[29] Rich S, Horsfall J.G (1952), Fungi toxicity of heterocyclic nitrogen compounds. *Chem Abst.* **46,** 11543.

[30] S.Jubie., B.Gowramma, N.K.Muthal, R.Kaliranjan, S.Gomathi, K.Elango (2009), synthesis and antimicrobial evaluation of some 2-azetidinone derivatives, *Int. J. ChemTech. Res*., 153-157

[31] S.J. Wadher, M. P. Puranik, N. A. Karande and P. G. Yeole (2009**),** Synthesis and Biological Evaluation of Schiff base of Dapsone and their derivative as Antimicrobial agents. *International Journal of PharmTech Research* **1**, 22-33.

[32] Sandhar R. Kumar, Sharma J.R., & Manrao M.R, (2008) Synthesis and fingitoxicity of aldimines and 4-thiazolidinones derived from 4- bromoaniline, *J. Indian Chem.* Soc., **85**, 220-223.

[33] Satoskar R.S., Bhandarkar S.D. (2007**)**, Pharmacology and Pharmacotherapeutics; **2,** 2641-651

[34] Shah M, Patel P, Korgaokar S, Parekh H. (1996**)**, Synthesis of Pyrazolines, isoxazoles and cynopyridines as potential antimicrobial agents. *Indian J Chem.* **35,** 1282–4.

[35] Sharma H.L. (2008), Principle of Pharmacology; **2**,748-752.

[36] Sharma.M.C., Kohli D.V., Sharma Smita, Sharma A.D. (2010), Design,synthesis and biological activity of some Benimidazoles derivatives 3-chloro-4-(substituted-phenyl-1-(4-{1-[2'-(2H-tetrazol-5-yl)-biphenyl-4-ylmethyl]-1H-benimidazol-2-yl}-phenyl)-azetidin-2-ones, *Der Chemica Sinica*, 92-105.

[37] V. Kumar, M.M.J., Nagraja T.S., Shameer H., Jayachandran E., Sreenivasa G.M., (2009) N-Substituted-3-chloro-2- Azetidinone: Synthesis and Characterization of new novel anti-inflammatory agents, *J.Pharm. Sci & Res*., 83-92.

[38] Venkateswararao.V., Kirubha.V., Senthamarai.R., Sarvani.B., Vasuki.K. (2011), Synthesis and determination of biological activities of new series of azetidinones, *Der pharma Chemica*, 439-445.

[39] Venugopal K.N., Jayashree B.S., (2008), Microwave-induced synthesis of Schiff bases of bromo coumarins as antibacterial. *Indian J Pharm. Sci.* **70**, 88-91.

[40] Villar R,Encio I, Migliaccio M, Gil M.G., Martinez-Merino V. (2004**),** Synthesis and cytotoxic activity of lipophilic sulphanamide derivatives of the benzo [b] thiophene 1,1-dioxode,*Bioorg and Med Chem*. **12**,963968.

[41] Wang L, Feng Y, Xue J and Li Y. (2006), Synthesis and characterization of novel pophyrin Schiff bases. *J Serb Chem Soc.* **73**, 1-6.

.